Cancer Council Victoria | Victorian Cancer Trials Link

A Phase Ib/III, Multicenter, Trial of Talimogene Laherparepvec in Combination With Pembrolizumab (MK-3475) for Treatment of Unresectable Stage IIIB to IVM1c Melanoma

Clinical summary

Subjects will be treated with talimogene laherparepvec until all injectable tumors have disappeared, disease progression per modified Immune-Related Response Criteria (irRC), or intolerance of study treatment, up to a maximum of 24 months of study treatment. Subjects will be treated with MK-3475 (pembrolizumab) until complete response (CR) disease progression per irRC, or intolerance of study treatment, up to a maximum of 24 months of study treatment. Subjects with disease progression on MK-3475 in Phase 2 monotherapy arm may be eligible to receive talimogene laherparepvec in combination with MK-3475 up to 12 months. Subjects may be eligible for re-treatment (second course) of MK-3475 and/or talimogene laherparepvec if they have progressive disease after a complete response up to 12 months

Conditions

This trial is treating patients with Melanoma

Trial Acronym
MASTERKEY-265

Trial Identifiers
NCT02263508
CT682, 20110265, 2014-000185-22

Cancer
Melanoma (Skin)

Age: 18+
Phase: III

For full trial details, visit trials.cancervic.org.au/details/vctl_nct02263508